


## Adaptiv Mini Fitting & User Guide

CAM-BM2-AD

[WWW.ADAPTIV-MULTIMEDIA.COM](http://WWW.ADAPTIV-MULTIMEDIA.COM)

**Adaptiv Mini**

Adaptiv Mini allows HDMI & Camera input to the OEM screen. Includes dynamic parking guidelines



This plug and play Mini interface adds HDMI to connect your Apple or Android device, allowing you to mirror your smartphone display on the vehicle's original screen. Inputs for front and rear aftermarket cameras also come as standard with the Mini.

**Application**

1 Series (F20/21)*	2011>
3 Series (F30)*	2012>
4 Series (F32)*	2014>
5 Series (F10)*	2011>
X3 (F25)*	2010>
Mini (F55/F56)**	2014>

\*For BMW vehicles with NBT 6.5"/8.4"/10.25" Control Display.

\*\*For BMW vehicles with CIC 6.5" Control Display

Vehicles with OEM AUX Input Only. For LVDS HSD+2 Pin Connector Only.

**Kit Includes**

- Adaptiv Interface
- Vehicle Harness


**Prior to installation**

Read the manual prior to installation. Technical knowledge is necessary for installation. The place of installation must be free of moisture and away from heat sources. Connects2 cannot be held responsible for the installation of this product.

**Technical Support**

Connects2 want to provide a fast and suitable resolution should you encounter any technical issues. With this in mind, when contacting Connects2, try to provide as much Information as possible. This will speed up the process and help us to help you.

**Please use our dedicated online technical support centre: [support.connects2.com](http://support.connects2.com)**




## DIP SWITCH SETTINGS




### DIP 1

If the vehicle has OEM reverse camera  
( ON: YES OFF: NO )




### DIP 3

If the vehicle has after-market reverse camera  
( ON: YES OFF: NO )



### DIP 2

If the vehicle has after-market front camera  
( ON: YES OFF: NO )



### DIP 4 DIP 5

6.5" Screen ON OFF  
8.8" & 10.2" Screen OFF OFF



## Button Config

Menu Button  
Back Button

### HDMI Access

Select AUX In from the OEM Source Menu. Hold **MENU** for 2 seconds to switch between OEM screen and Adaptiv Mini HDMI screen. Hold **MENU** for 2 seconds to exit HDMI.



## Video In Motion Warning - 10 MPH

Hold **BACK** for 2 seconds to disable the video in motion warning message

## Rear and Front Camera Access

*From either HDMI mode or OEM mode*

1. Select reverse gear for reverse camera
2. Deselect reverse gear - will go to after market front camera ( if DIP 2 ON )  
Hold **BACK** for 2 seconds to cancel front camera or drive over 10 MPH



While reversing and PDC on, long press the **MENU** button to switch below three modes.  
(1.) Full display (2.) 3/4 display (3.) The PDC screen moves to the right

## Front Camera Access

Press and hold **BACK** to enter the front camera screen ( if DIP 2 is ON ). Hold **BACK** for 2 seconds to exit front camera.

## View Version Number

Hold **MENU** Button for 8 seconds to enter firmware information screen

## Toggling Parking Guidelines On/Off

Hold **BACK** Button for 2 seconds whilst the camera image is displayed on screen